

WESTERN ORE OPERATIONS P. O. BOX 569 LANDER, WYOMING 82520

April 11, 1977

Mr. Ronald W. Daniels Coordinator of Mined Land Development Division of Oil, Gas and Mining Department of Natural Resources State of Utah 1588 West North Temple Salt Lake City, Utah 84116

> Re: Notice of Intention to Continue Operations - Keigley Quarry and Desert Mound Mine, Utah

Dear Mr. Daniels:

This letter is in reply to your recommendations on our Preliminary Notice of Intention to Continue Mining Operations dated January 27, 1977.

We are sorry that it has taken so long to get back to you, but we have had some changes in personnel due to retirements and transfers.

The Preliminary Notice of Intention to Continue Mining Operations for both our Desert Mound Operations and Keigley Quarry are enclosed. They have been changed in most areas to conform to your recommendations. In other cases we have included an explanation. The map for Keigley Quarry has been modified and includes notes as to drill holes, canal names, abandonment of unusable buildings, etc., and a revised copy is attached. You should have a copy of our Desert Mound map in your files.

If these notices meet with your approval, let us know and we will submit them in final form with the required signatures.

Yours very truly,

Laurence Ashdown

Supervisor - Engineering Services

Western Ore Operations

enc.

LA/sd

cc: K. L. Prothero

N. I. Heaton

R. C. Johnson

D. J. McDaniel

MR FO	ORI	11	
Page	1	of	3

MINING NO.	APPLICATION
Date:	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Jun 84116

	NOTICE O	CONTINUE OF INTENTION TO XXXXXXXX MANUEL OPERATIONS Rule M of General Rules and Regulations)	
i	•	or Company United States Steel Corporation) .
2.		ermanent Yangaray	
3.		K. L. Prothero, General Superson representing Company Western Ore Operations	erintenden
4.	Address <u>u.s.</u> st	ceel, P. O. Box 569 Cffice Phone (307) 332-4411	
5. 6.	·	County Homestake pit and dumps - proposed At Mound Mine Mt. Lion Pit - existing.	
7.	Mineral to be mine () Coal () Copper () Manganese (x) Iron Ore () Phosphate () Potash () Fluorspar () Other (Speci	ed: () Flagstone Open pit () Gravel () Shale () Uranium () Gilsonite () Bituminous Sandatone () Tungsten	
8. If	the State of Utah ()	erson, Partnership or Corporation associated with you ved Notice of Intention to Commence Mining Operations by for operations other than described herein? Yes (x) No oval numbers now under suret,	
9.	United States Steel	B O Box 316	- - -
	C.F.I. Steel Corpor	Address Pueblo, Co. 81002	-
			-

10.	Owner/Owners of reco	ord of minerals to	be mined:		
	United States Steel	Corporation	600 Address Pit	Grant Street tsburgh, Pa. 15230	
	•		P.	0. Box 316	
	CF & I Steel Corpo	ration '	Address _{Pue}	eblo, Co. 81002	
			Address		•
			Address		
11.	Owner/Owners of reco	ord of all other m	uinerals within	n any part of the land	
	Iron Rock Mine Clai	m Very small	ore body Address	•	
	L. F. Luke Family	·	_ Address <u>Ced</u>	ar City, Utah	
	A. E. Moreton Family	У	Address <u>sal</u>	t Lake City, Utah	
	W. C. Murie Family		_ Address <u>ced</u>	ar City, Utah	
lla.	Have the above owners	37		have been mining in this are	ea
12.	people have been	involved in busin	for dealings	r many years and all of these with us. They are all aware ct operations on land / opera	 e of t
	to be covered by the	Notice Self owned	ler, and condu	ct operations on land / opera	ation
13.	Approximate acreage		The state of the s		
	Mining operation area			and dispersion.	
		Distu	rbed Disturb	and disposal area):	
			0* 180	_acres + 480 acres	•
	Access Road or Haulag	<u> </u>	0 0	_acres + 60 acres	
	Drainage System:	4	0 80	acres + 120 acres	
	Total Acres:	40	0 260	acres 660 acres	
14.	*Approx. 100 acres	disturbed by U.I.	I. Mining Oper	r - vet to be used for use -	ninin
T'_L:	Give the names and bo	ist office address	es of every ry	cincinai Everentive energ	
	Name	rerson performing Tit	g a similar fu	unction) of Applicant:	
		111.	10	Address 600 Grant Street	
	a. E. B. Speer	Chairman. B	oard of Dir.	Pittsburgh, Pa. 15320	
			ent & Gen. Mgr		
	b. C. F. Beukema	Raw Materia	ls & Lake Ship		
		General Supe		P. O. Box 569	
	C. K. L. Prothero	Western Ore	Operations	Lander, Wyoming 82520	
~	d.			·	
15	Has Applicant and Sa	haidi Arcıs			
70	Has Applicant, any Su Association Trust on	DSIGIARY OF Affili	late or any Pe	rson, Partnership,	
	association, inust or	Corporation confr	folled by are c	redeve common control	
	wren ubbricant or all	v rerson required	to be identit	Vied by Itom 14 man	
	thereto ever been for:	feited? Yes (n withdrawn c	r has surety relating	

If yes, explain:

•						
STATE OF _	PENNSYLVANI	A	•			
COUNTY OF	ALLEGHENY			· .		
:	[, <u>C F B</u>	EUKEMA		, havin	g been duly sworn	n
	i				ained in the fore	
					I am authorized	
				•	plicant and this	
		xecuted as requ				
		Si	gned			
I	aken, subsc	ribed and sworn	tọ 1	Vice Presid before me the	ent & General Man undersigned auth	nager ority
in my said	county, thi	day	of .	·	, 19	n
		No	otary	y Public:		
My Commiss	ion Expires			_	-	

MR FORM 2 Page 1 of 3

MINING APPLICATION						
NO	· · · · · ·	·	•	•	•	
Date:						

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

(Other forms may be used in lieu of MRA 2, provided they contain the same information.)

1.	Name of Applicant or Company <u>United States Steel Corporation</u>
2.	Open Pit Iron Ore Mine
3 -	Pits and dumps area. Manning
	(b) Current Land Use(s) Open pit mining operations & marginal grazing & wildlife Pits, plant, dumps habitat. (c) Possible or Prospective Future Land Use(s) & roadmarginal grazing & wildlife
4.	What vegetation exists on the land proposed to be affected habitat
	brush production of the brush
	types and istimated reficent cover or Density:
	Pits and dumps area 50% tree cover, a little browse in between. Plant and road 50% brush cover. Scattered grass and weeds between.
5 .	What is the range pH of soil before mining? 8.0 - 8.5 ave. pH.
	Name of Person or Agency and method of determining pH <u>S.C.S.</u> (Cedar City) Pits and dumps - Sparce, rocky soil. Rocky sidehill area. Plant and road - Shallow rocky soil. Disturbed years ago.
6	Pits and dumps average 6300 ft. Site elevation above sea level <u>Plant and road average</u> 5650 ft.
7.	In case of coal, oil shale, and bituminous sandstone:
	Principal seam(s) and thickness(es) <u>None</u>
3,	Estimated duration of mining operations Approx. 15 years more
9.	Has overburden, waste or rejected materials been classified as acid or alkali producing? () Yes (x) No Does the above material being moved have any other characterisitics affecting revegetation? Rocky
.0.	Will any underground workings or aquifers be encountered? (x) Yes () No Describe A little ground water encountered in "Entrada" and "Iron Ore"
	Is there an active discharge of water from abandoned deep mines on or crossing the land affected? () Yes (x) No If Yes, describe the quality of water being discharged.

J	·
	·
11 Describe specific	ally a detailed procedure for:
See attached s	neet.
a. The mining se	quence.
b. The procedure	for constructing and maintaining access roads, to include
a cypical cross-s	SECTION and a profile of the proposed road grader
c. the procedure i	Or site preparation including removing trees and brush
d. The method for	removing and stockhilling repsoil or disturbed materials
e. The merriod for	The Diacement or containment of all distracted materials
to Tigrade the me	thod for handling of all acid or alkali-producing and
coxic material.	i de la companya de
f. A procedure f	or final stabilization of disturbed materials.
	GPADING AND REGRADING Of Abandonded Dumps
Specifically describe	
a. Typical cross	section of regrading. See attached typical cross section.
D. THE HELLIOU OF	Spreading topsoil or upper horizon material on the
regraded area	and indicate the approximate thickness of the first
Surracing mat	erial. No topsoil available but will opposite the same of the
C. WILL LYPE OI	SOLL LIESUIENI WILL DE NTILIZAD Contain anni cui
a. THE MECHOD OF	drainage control for the final regraded area. Contour assume
e. Maximum gradi	ng slope. Approx. 380 on dump faces. dump tops.
•	
	TESTING
i a. Describe meth	od for testing stability of reclamation fill material.
Reclamation fill ma	terial will be used on the basis of past experience with local
materials.	past experience with local
b. Describe method	d for the testing of soil that is intended to support
vegetation. Basic	plant nutrient tests of M.P.&K. will be performed.
2. Describe any soil	treatment employed as an aid to revegetation. The truck traffic
across these area	s neith to break the soil down In addition the demant could
HELE HELD AND CHE	allows maintained from the ground which allows maintained
co be nera and sr	IK III.
The transfer to see it	reparation of areas intended to support vegetation:
dozers here belo an	cross these areas help to break the soil down. In addition, the
moisture to be held	the lugs on the dozer tracks scarify the ground which allows
	REVEGETATION
1. Revegetation to be	completed by
(x) Operator	
	() Hydroseeding ation District () Aerial Seeding
() Private Cont	1 COULTE
	() Contentional or Rangeland Drilling (Name) () Other (Specify)
() Other (Speci	
2. Will Mulch Be Used	We are at present experiementing with mulch in our Wyoming opera-
Typetions and we are	ge not, at present, too impressed with the results of mulch.
	i lbs.

lbs.

thereunder.

My Commission Expires:

Signed

· *--3. Revegetation Plan and schedule -Rate/ Planting Facing Season to Species acre location N-S-E-W to be Replanted We have found that vegetation native to the local area is the only dependable vegetation. As these dumps are going to be many years before they become inactive, we would like to run some test plots to find out which type of growth does best. 4. Will affected area be subject to livestock or wildlife grazing: (x) yes Will vegetation protection be needed? Marginal grazing for livestock and a limited wildlife habitat. 5. Will irrigation be used? () Yes () No Type We would irrigate with a water truck on a one time basis to get vegetation started but no irrigation would be Describe maintenance procedures for revegetation if needed, until surety used on a release is granted. continuing basis. None is planned at this time. I, the undersigned Operator, hereby submit this to be my Reclamation and Mining plan for the area shown on the attached map. I further understand that the operation will be conducted in accordance with the Mined Land

Reclamation Act of 1975, and all rules and regulations currently in effect

in my said county, this _______, 19 ______, 19 ______,

Operator, Date

Taken, subscribed and sworn to before me the undersigned authority


'Notary Public

UNITF STATES STEEL CORPORATION Desert Mound Mine

Attachment for Mining Application

MRA--Form 2

- 11. Describe specifically a detailed procedure for:
 - (a) Mining sequence (being done in a safe, orderly, minerlike fashion.)
 - 1. Drill Ore and waste blast holes with rotary drills.
 - 2. Blast holes in ore and waste with ammonium nitrate.
 - 3. Load ore and waste into haulage trucks with power shovels.
 - 4. Haul waste to dumps with haulage trucks.
 - 5. Haul ore to crushing plant with haulage trucks.
 - 6. Crush and stockpile ore through crushing plant.
 - 7. Reclaim and load ore into railroad cars through loading plant.
 - (b) Constructing and maintaining roads (Done years ago).
 - 1. Build subgrade with on-site and pit-run waste material.
 - 2. Cap with fines from site or from pits.
 - 3. Maintain by continually grading and sprinkling.
 - 4. Typical cross-section and profile main haulage road.



MILL 11/2 Mi-Level

3 Mi.+1%

11/2 Mi.+ 6%

PIT

E

PROFILE MAIN ROAD

- (c) Site preparation (Done years ago).
 - 1. Level off plant site and bring to grade.
 - 2. Build access roads to proposed plant and pit area.
 - 3. Remove trees from proposed pit areas.
 - 4. Bring in powerlines to proposed plant and pit areas.
- (d) Handling Topsoil (None to handle)
 - 1. No topsoil in rocky mining operations area.
 - 2. A little topsoil in haulage road and plant areas, but it was disturbed years ago and none saved.
- (e) Handling Pit Waste (Being Done)
 - 1. Dump waste from haulage trucks on edge of dumps.
 - 2. Push waste over edge of dumps with tractor.
- (f) Stabilizing Pit Waste (To be done)
 - 1. Waste dumps are self stabilizing. No hazard.
 - 2. Round-off dump crests when through in conformance with surrounding topography and contour scarifying on dump tops. See attached typical cross-section.
- (g) Post Mining Operations (To be done)
 - 1. Fence around accessable mining operation areas. (Has been done at Desert Mound and Iron Mt. Areas.),
 - 2. Push a rick of waste approximately &' high around the edge of pits.
 - 3. Remove extraneous debris, unusable buildings, trash, and equipment.

RULE M-3

(3) Statement giving general details of the type or method of mining existing and proposed.

The Desert Mound Mine has two adjacent ore bodies located six miles southwest along a gravel haulage road from the plant site; which is located twelve miles west of Cedar City.

The Mt. Lion ore body has an open pit mine in operation since 1953 located on a rocky sidehill with no topsoil and originally partially covered with trees. The waste material is almost all rock and is dumped nearby on undisturbed ground. In the future some waste will be dumped on ground already disturbed by Utah International.

The Homestake ore body will be an open pit mine sometime in the future, depending on iron ore requirements. It is located next to the Mt. Lion ore body under rock and a top layer of rocky alluvial. This alluvial has already been disturbed by Utah International, Inc., with their iron ore float salvage operations. The waste is almost all rock and will be dumped nearby with some of it going on ground already disturbed by Utah International, Inc., and some of it going on undisturbed ground.

The mining methods used, present and future, are:

- 1. Access roads built and test holes drilled.
- 2. Pit plans made and trees cleared.
- 3. Haulage roads and railroads built.
- Plant facilities and power lines built.
- 5. Blast holes drilled in ore and waste with rotary drills.
- 6. Blasts in ore and waste shot down with ammonium nitrate.
- 7. Ore and waste loaded into haulage trucks with power shovels.
- 8. Waste hauled to dumps with haulage trucks.
- 9. Ore hauled to crushing plant with haulage trucks.
- 10. Ore crushed and stocked through crushing plant.
- 11. Ore reclaimed and loaded in railroad cars through loading plant.



DRAWING NO. DATE MAR. 29, 77 EDGES ROUNDED TO A PLEASING CONFIGURATION. DATE UNDER 40° DRAWN BY D.M.H. CHECKED BY ENG. NO TOP FOOT BROKEN-UP BY TRUCK & TRACTOR TRAFFIC. TYPICAL CROSS-SECTION DUMP REGRADING DESERT MOUND MINE NATURAL GROUND TOP SCARIFIED BY TRACTOR LUGS \$/OR OTHER MEANS. ORATION OPERATIONS STEEL CORP Departmen ACCES ORE UNITED STATES Engineering WESTERN REVISIONS

M 021/003

